



NOTES:

- 1) WHERE EASEMENT EXISTS PARALLEL TO EXTERNAL EASEMENT , LINE OF PROPERTY INLET ABOVE TO COINCIDE WITH EDGE OF EASEMENT.
- 2) WHERE NO EASEMENTS EXISTS EXCEPT THE EXTERNAL EASEMENT, THE LINE OF PROPERTY INLET ABOVE IS TO BE 750mm FROM TITLE BOUNDARY.
- 3) WHERE UPVC HOUSE DRAINS ARE TO BE CONNECTED TO AN EXISTING COUNCIL DRAIN WHERE NO COLLAR EXISTS A UPVC ADAPTOR WITH RUBBER RING MUST BE USED AT THE CONNECTION TO THE COUNCIL DRAIN. UPON CONNECTION THE COLLAR SHALL NOT PROTRUDE MORE THAN 10mm INTO THE EXISTING DRAIN.



## PROPERTY INLET TO EXTERNAL EASEMENT DRAIN COVER GREATER THAN 600

DRAWN: M BASILE

CHECKED: S.Q

AMENDMENTS: APRIL 2011

SCALE: 1:20

DATE: MAY 2011

BY: M BASILE

APPROVED

*Sami*

MANAGER  
ENGINEERING SERVICES  
DRAWING No.

S155