



NOTE:

- 1) WHERE EASEMENT EXISTS PARALLEL TO EXTERNAL EASEMENT, LINE OF PROPERTY INLET ABOVE TO COINCIDE WITH EDGE OF EASEMENT.
- 2) WHERE NO EASEMENTS EXIST EXCEPT THE EXTERNAL EASEMENT, THE LINE OF PROPERTY INLET ABOVE IS TO BE 750 FROM TITLE BOUDARY.
- 3) WHERE UPVC HOUSE DRAINS ARE TO BE CONNECTED TO AN EXISTING COUNCIL DRAIN WHERE NO COLLAR EXISTS, A UPVC ADAPTOR WITH RUBBER RING MUST BE USED AT THE CONNECTION POINT. WHERE UPVC HOUSE DRAINS ARE TO BE CONNECTED TO THE FCR DRAINAGE PIPES A SADDLE COUPLING ADAPTOR SHOULD BE USED. UPON CONNECTION THE COLLAR SHALL NOT PROTRUDE MORE THAN 10mm INTO EXISTING DRAIN.



PROPERTY INLET TO  
EXTERNAL EASEMENT DRAIN  
WITH COVER 300-600

APPROVED

*Savi*  
MANAGER  
ENGINEERING SERVICES

DRAWING No.

S150

DRAWN: M BASILE

CHECKED: S.Q

AMENDMENTS: APRIL 2011

SCALE: 1:20

DATE: MAY 2011

BY: M BASILE